## ARA MANUFACTURE | METALBILT

6 6 6 6 6 6 6 6

# TRU-STRIP<sup>TM</sup> PVC Strip Curtains

METALBILT CURTAINS

## Cost effective, made-to-measure PVC Strip Curtain Kit.

TRU-STRIP™ PVC Strip Curtains are the ideal barrier against temperature fluctuations, excessive noise, and airborne pollutants in high traffic environments.

### OVERVIEW

Our custom, made-to-measure strip curtains are made from heavy-duty, thermally resistant PVC, available in a flat or ribbed style. These strip curtains provide protection from weather and pests while helping with temperature control, saving you high energy costs. Our PVC is able to withstand temperatures from +50°C to -15°C (Standard Temp) and -45°C to +50°C (Low Temp).

Supplied as an easy to install kitset.

## APPLICATIONS

The TRU-STRIP<sup>™</sup> are suitable for a range of applications including, but not limited to:

- Cold Storage Facilities
- Food and Beverage Manufacturing
- Pedestrian or Light Vehicle Doorways
- Warehousing and Distribution

Welding Bays

UV Stabilised

Kitset supply

inflammable

Free from toxic DOP and DEHP plasticiser

Fire rating - DIN 53 382 Self-extinguishing and

### SPECIFICATIONS

- Aluminium header track with optional hygiene cover
- Stainless steel fixings
- Style ribbed or flat
- Red safety marker strips upon request
- Noise reduction up to 35db

### SIZE

PVC Strip Curtain width: 100mm, 150mm, 200mm, 300mm and 400mm **PVC Strip Curtain thickness:** 

1mm, 2mm, 3mm and 4mm

### TEMPERATURE RANGE

Standard Temp: -15 to +50

Low Temp: -45 to +50

### MINIMUM CLEARANCE

Wall Mount: 100mm

Head Mount: 40mm

09 828 1167 info.nz@metalbilt.co.nz metalbilt.co.nz

## **TRU-STRIP™ PVC STRIP CURTAIN PVC Options & Header Tracks**

## **PVC Options**

## Standard Temp PVC (+50°C to 0°C)

Code	Temp	Style	Roll	Weight	Usage
100x2SF	Standard	Flat	50m	Light Duty	Pedestrian use and fragile goods
150x2SF	Standard	Flat	50m	Light Duty	Taller pedestrian openings
200x2SF	Standard	Flat	50m	Medium Duty	Dividing curtains and openings up to 2.5H
200x2SR	Standard	Ribbed	50m	Medium Duty	Openings up to 2.5H used with fork truck
300x3SF	Standard	Flat	50m	Heavy Duty	Large openings with no fork truck usage
300x3SR	Standard	Ribbed	50m	Heavy Duty	Where fork trucks are used a lot
400x4SF	Standard	Flat	25m	Extra Heavy Duty	Large external curtains and tall openings

## Low Temp PVC (0°C to -40°C)

Code	Temp	Style	Roll	Weight	Usage
200x2LF	Low	Flat	50m	Medium Duty	Pedestrian freezer doors
200x2LR	Low	Ribbed	50m	Medium Duty	Small freezer doors with trolleys
300x3LF	Low	Flat	50m	Heavy Duty	In freezer where fork trucks not used
300x3LR	Low	Ribbed	50m	Heavy Duty	In freezer with fork trucks

## Low Temp PVC (0°C to -40°C)


Code	Temp	Style	Colour	Roll	Weight	Usage
100x2GF	Standard	Flat	Grey	50m	Light Duty	Privacy curtains, conveyor curtains, door seals
200x2RF	Standard	Flat	Red	50m	Medium Duty	Marker Strips and welding curtains
300x3RF	Standard	Flat	Red	50m	Heavy Duty	Marker Strips and Welding curtains

## **Header Track Options**


Face/Wall Mount

## Head/Ceiling Mount





## Hygiene Covers



09 828 1167 info.nz@metalbilt.co.nz metalbilt.co.nz

## TRU-STRIP™ PVC STRIP CURTAIN **Projects**



09 828 1167 info.nz@metalbilt.co.nz metalbilt.co.nz