

Fyreshield™ Fire Shutters

METALBILT SHUTTERS

Creating fire breaks to greatly reduce the spread of fire.

Metalbilt's Fyreshield™ fire shutters are fire break doors that can compartmentalise large areas of a building into smaller units greatly reducing the spread of fire. Custom-made, these shutters are the highest of standard – the result of years of engineering design and experience in fire resistant roller shutters.

OVERVIEW

Automatically activated by a signal from any installed smoke or heat detector, Fyreshield™ fire shutters are the highest of standard and competitively priced.

APPLICATIONS

Aluminium shutters are ideal for projects where a high level of strength, visibility and finish is required including:

- Workshops
- Schools
- Architectural designed houses
- Factories
- Warehouses
- Industrial buildings
- Large commercial buildings

SPECIFICATIONS

- Guides constructed from brake pressed 3mm galvanised steel.
- Roll formed, galvanised steel interlocked slats.
- Slats can be replaced individually if damaged.
- Powder-coating available.
- Operate manually with low speed hand chain or motorised with auto hand chain.
- Fire Alarm Panel with battery back-up.

FINISH

Cold rolled galvanised or powder-coated.

SIZE

Size (up to -/240/- in masonry):

- Maximum width – 7.5 metres
- Maximum height – 6 metres
- Maximum opening – 40m²

Size (up to -/240/- in masonry):

- Maximum width – 7.5 metres
- Maximum height – 6 metres
- Maximum opening – 40m²

Certification

Fire tested in New Zealand to AS 1530 Part 4, in a recognised New Zealand testing facility.



Projects

